INDIANA DMR

NETWORKS, REPEATERS, TALK GROUPS, AND CODEPLUGS

ACCESS THESE SLIDES ONLINE

W9LW.FARLOWCONSULTING.COM



INTRODUCTION TO DMR

DIGITAL MOBILE RADIO

- Digital audio (as are D-Star and Yaesu Fusion)
- Commercial roots
- Internet connections
- Radio ID numbers issued via www.radioid.net
- Time-division multiple access: Two 30ms time slots per radio frequency

 Slot 1	Slot 2	Slot 1	Slot 2	Slot 1	Slot 2	Slot 1	Slot 2	1
30 ms	30 ms	30 ms	30 ms	30 ms	30 ms	30 ms	30 ms	
	т	ier II T	DMA	30ms 1	Time Slo	ots		2

TALK GROUPS

- Virtual channels
- Identified by numbers (3118 = Indiana Statewide)
- Dedicated to geographic areas or purposes (Military Vets, 98008)
- Static vs. dynamic
- "Private" vs. Group

NETWORKS

Multiple networks available, not fully interconnected

- Brandmeister
- c-Bridge (Crossroads, Chicagoland)
- DMR Plus (Tri-State)
- TGIF (No Indiana Repeaters, few, if any, connections to other networks)

C-BRIDGE NETWORKS (CROSSROADS, CHICAGOLAND)



- Networking device
- Repeater owners choose talk groups to carry
- Repeater owners specify time slots for each talk group
- Mostly use talk groups from the DMR-MARC list
- "Parrot" is a group call to 9998
- Crossroads website: www.idhr.info
- Chicagoland website: chicagoland-cc.org/

BRANDMEISTER

BrandMeister DMR Master Server


- Any talk group on Brandmeister list (1,500 choices!)
- Any Brandmeister talk group on either time slot
- Some talk groups bridge to other networks.
 - Indiana statewide (3118) linked with Crossroads (3118) and Tri-State (Ref. 4607)
 - Tactical talk groups (e.g., 310, 311) linked with Crossroads and Tri-State (same numbers)
 - "Crossroads" talk group (31189) linked with Crossroads (8710)
 - "Midwest" 3169 linked with Crossroads (3169) and Tri-State (Ref. 4640)
 - "North America" (93) and "Worldwide" (91) not cross linked.
- "Parrot" is a private call to 9990 (either time slot)

DMR PLUS (TRI-STATE)



- Crown Point, LaPorte, Valparaiso
- DMR-MARC talk groups (time slot 1) plus D-Star-style reflectors (time slot 2)
- "Parrot" is group call to 9990 on time slot 1
- Tri-State website: www.tristatedmr.org

Connecting to Reflectors on DMRPlus is Easy



TGIF

- Younger network
- No Indiana repeaters (yet)
- Mostly used by individuals on DMR hotspots
- Few (if any) cross-links to other networks
- "Parrot" is a group or private call to 9990 or 31000
- TGIF website: tgif.network

INDIANA DMR NETS

- Crossroads Net, Mondays, 8 p.m. ET, Crossroads 8710 or Brandmeister 31189.
- Indiana DMR Net, Tuesdays, 8 p.m. ET, 3118 or DMR Plus reflector 4607.
- Grant County Amateur Radio Club Net, Sundays, 8:30 p.m. ET, 31181.

PREPARING TO PROGRAM A DMR RADIO

OBTAIN A DMR ID NUMBER

- Every user must have DMR ID number
 - Go to www.radioid.net
 - Sign up for account
 - Follow instructions to get DMR ID.
 - Most users need only one ID, even with multiple radios.

OBTAIN REPEATER INFO

- Frequency
- "Color" code
- Network
- Static & dynamic talk groups per time slot



DMR Base Stations & Repeaters | DMR Tier 2 compatible repeaters | QT/DQT/Colour Code signalling

INDIANA DMR REPEATER MATRIX

- Popular online references (RepeaterBook, RFinder) unreliable
- Indiana Digital Ham Radio website: idhr.info



ier

ng

Indiana	Indiana DMR Repeater List (All Networks)
Digital Ham	Important information
Radio It's all 1's and 0's	Static talk groups are always on. Dynamic talk groups are activated on demand when a local u transmits on that talk group. Dynamic talk groups automatically deactivate after a certain time without local activity (typically 15 minutes).
Menu	Repeaters on the Brandmeister network support each of the more than 1,500 Brandmeister ta groups on either time slot. The Brandmeister repeater entries below therefore list individually
About Us	only the talk groups that are static on those repeaters. Users should avoid dynamically activat a static talk group on the opposite time slot. For example, if Indiana statewide (3118) is static o
DMR	time slot one, users should not activate that talk group on time slot 2. On all Brandmiester

INDIANA DMR REPEATER LIST

© 2023, JAY M. FARLOW, W9LW, FORT WAYNE, INDIANA, USA

Fort Wayne K9MMQ

Status: On Air

Frequency: 443.10000 +5 MHz

Color code: 1

Network: Crossroads

Mode: DMR only

DMR ID: 311803

Talk Group Name (Number)	Time Slot 1	Time Slot 2
US Nationwide (1776)	Static	
Midwest Region (3169)	Static	
Local 1 (3181)	Static	
North America (3)	Dynamic	
Michigan (3126)	Dynamic	
Ohio (3139)	Dynamic	
Audio Parrot (9998)	Dynamic	
EchoLink-IRLP (63951)	Dynamic	
Indiana (3118)		Static
Local 2 (3166)		Static
Crossroads (8710)		Static
Worldwide (1)		Dynamic
WW English (13)		Dynamic

INDIANA DMR REPEATER LIST

Fort Wayne N9MTF

Status:On AirFrequency:442.63750 +5 MHzColor code:INetwork:BrandmeisterMode:DMR onlyDMR ID:311841

Talk Group Name (Number)	Time Slot 1	Time Slot 2
Local (2)	Static	Static
IN WX Ops (31183)	Static	
R5AUXCOMM (31673)	Static	
Indiana (3118)		Static
All other Brandmeister groups	Dynamic	Dynamic

CONFIGURING A DMR RADIO

WRITING A WORKING "CODEPLUG"

BACKGROUND AND TIPS

- Use customer programming software (CPS) created for that radio. (Can't use CHIRP)
- Match CPS and firmware version
- Resulting file is called "codeplug"
- "Save as" to new name before any change
 E.g., W9LW-ATD878UV-2023-11-19-1230.rdt

CODEPLUG WRITING PROCESS

- 1. Enter personal DMR ID
- 2. Enter talk group names & numbers Tip: Include talk group number in name field.

🛂 Talk Group Edit7			×			
Name	Worldwide 91					
Call Type	Group Call					
TG/DMR ID		91				
Call Alert	None		-			
<u>0</u> K	<u>C</u> ancel	<u>P</u> revious	<u>N</u> ext			

CODEPLUG WRITING PROCESS

3. Create one channel per talk group per repeater.
Tip: Identify the repeater & talk group in the channel name.

Channel Information Edit	404		
Channel Name	FW-E WW		
Receive Frequency	442.63750 F	PTT Prohibit 🗖 Talk	Around(Simplex)
Transmit Frequency	447.63750 F	Work Alone 🔲 DataACK D	isable 🔲 Auto Scan
Correct Frequency[Hz]	0	Digital	
Channel Type	D-Digital 💌	Contact	Worldwide 91
Transmit Power	Turbo	Radio ID	W9LW Jay 💌
Band Width	12.5K 💌	Color Code	1
TX Permit	Different Color Code	Slot	Slot1 💌
Scan List	None	Receive Group List	None
	· —	Digital Encryption	Off
		AES Digital Encryption	Off 💌
		Multiple Key	Off 💌
Exclude channel from roaming	off	Random Key	Off
DMR MODE	Repeater	SMS Forbid	Off 🗨
Analog APRS Report Freq	1	Send Talker Alias	Call Confirmation Ranging
		Slot Suit	SMS Confirmation

CODEPLUG WRITING PROCESS

- 4. Create at least one zone (Tip: One zone for each DMR repeater, identify repeater in zone name)
- 5. Save codeplug to computer
- 6. Write codeplug to radio

	Zone Name Ft Wayne Eas	t D			A Channel	FW-E IN	•	r
	,				B Channel	FW-E IN	-	
unilable	Channel			Zana Char	nel Member			
Valiable	145 510 SX DMR]		388	FW-E Local1			1
2	145.790 SX DMR	1		389	FW-E Local2		1	
3	146.430 SX	· · · · ·		393	FW-E NIARA			
1	146.450 SX		>>	383	FW-E IN FW-E IN		- 1	
• 5	146.490 SX			384	FW-E IN Lnk		- 1	
5	146.520 SX			385	FW-E IN TAC		- 1	Order By
, 7	146.550 SX			1 386	FW-E IN WX		- 1	Order Dy
, B	146.580 SX		<<	397	FW-E SIN		- 1	<u>I</u> D
9	147.420 SX			379	FW-E Crsrds		- 1	
5 10	147.420 SX 147.450 SX			394	FW-E OH		- 1	Name
11	147.430 SX			403	FW-E TGS		- 1	Indine
12	147.510 SX			390	FW-E MW		- 1	
13	147.540 SX			396	FW-E R5AuxCor	-	- 1	Up
14	147.570 SX			392	FW-E Nation	n	- 1	
15	151 820 MURS1			391	FW-E NA		- 1	
16	151.880 MURS2			404	FW-E WW		- 1	Down
17	151.000 MURS2			404	FW-E WW Eng		- 1	
18	154.570 MURS4			398	FW-E TAC310		- 1	
19	154.600 MURS5			399	FW-E TAC310		·	
20	2 Rivers 03			400	FW-E TAC312			
20 21	433.450 SX DMR			400	FW-E TAC312			
21	433.430 SX DMR 441 000 SX DMR			401	FW-E TAC313			
" <u> </u>	441 0.07 554 170/15	- 1		407	EW-E IAC.014			
order B	y ID Name]

OPERATING DMR

TEST YOUR CODEPLUG

- Select desired zone.
- Select desired channel.
 - Start with parrot.
 - Make a test transmission. Listen for echo.
- Pause between PTT and speaking.
- If channel's TG is *static* on repeater, monitor for activity for a minute before transmitting.
- If channel's TG is dynamic, make a very brief transmission, then monitor for activity.

DMR OPERATING BEST PRACTICES

- Before transmitting, listen to the time slot, not just a single talk group
- Use the talk group carried by fewest number of repeaters
- Avoid rag chewing on wide-area talk groups. QSY to a TAC group
- Brandmeister: Don't dynamically activate a TG on time slot 2 if it's static on time slot 1

W9LW CODEPLUG-WRITING GUIDES

- w9lw.farlowconsulting.com
 - Radioditty RD-5R / Baofeng DM-5R
 - TYT MD-380
 - Anytone AT-D878UV

JAY FARLOW, W9LW

w9lw@arrl.net

w9lw.farlowconsulting.com

SOME TALK GROUP SUGGESTIONS

Brandmeister

- Local 2 (TS 1 and 2)
- Indiana Statewide 3118
- Crossroads 31189
- Indiana Link 31181
- Midwest 3169
- U.S. 3100
- North America 93
- Worldwide 91

- Crossroads
 - Local-1 3181 (TS 1)
 - Local-2 3166 (TS 2)
 - Indiana Statewide 3118
 - Crossroads 8710
 - Midwest 3169
 - North America 3
 - Worldwide 1